

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RA-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family	●						
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	6.10						
Floor Area Ratio (FAR)							
Minimum	0.2						
Maximum	0.6						

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	2						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)	55						
Width (min., in metres)	7.62						
Depth (min., in metres)							
Number of dwellings per building (max.)	1						

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●						
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RA-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family	●						
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	6.10						
Floor Area Ratio (FAR)							
Minimum	0.2						
Maximum	0.6						

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	2						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)	55						
Width (min., in metres)	7.62						
Depth (min., in metres)							
Number of dwellings per building (max.)	1						

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●						
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RA-3

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family	●						
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)	3.65						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	6.10						
Floor Area Ratio (FAR)							
Minimum	0.2						
Maximum	0.6						

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	2						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)	55						
Width (min., in metres)	7.62						
Depth (min., in metres)							
Number of dwellings per building (max.)	1						

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●						
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RA-4

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family	●						
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	6.10						
Floor Area Ratio (FAR)							
Minimum	0.2						
Maximum	0.6						

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	2						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)	55						
Width (min., in metres)	7.62						
Depth (min., in metres)							
Number of dwellings per building (max.)	1						

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●						
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RA-5

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family	●						
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	6.10						
Floor Area Ratio (FAR)							
Minimum	0.2						
Maximum	0.6						

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	2						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)	55						
Width (min., in metres)	7.62						
Depth (min., in metres)							
Number of dwellings per building (max.)	1						

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●						
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RA-6

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family	●						
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	6.10						
Floor Area Ratio (FAR)							
Minimum	0.2						
Maximum	0.6						

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	2						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)	55						
Width (min., in metres)	7.62						
Depth (min., in metres)							
Number of dwellings per building (max.)	1						

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●						
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RA-7

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family	●						
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	6.10						
Floor Area Ratio (FAR)							
Minimum	0.2						
Maximum	0.6						

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	2						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)	55						
Width (min., in metres)	7.62						
Depth (min., in metres)							
Number of dwellings per building (max.)	1						

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●						
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RA-8

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family	●						
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	6.10						
Floor Area Ratio (FAR)							
Minimum	0.2						
Maximum	0.6						

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	2						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)	55						
Width (min., in metres)	7.62						
Depth (min., in metres)							
Number of dwellings per building (max.)	1						

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●						
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RA-9

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family	●						
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	6.10						
Floor Area Ratio (FAR)							
Minimum	0.2						
Maximum	0.6						

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	2						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)	55						
Width (min., in metres)	7.62						
Depth (min., in metres)							
Number of dwellings per building (max.)	1						

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●						
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RA-10

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family	●						
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	6.10						
Floor Area Ratio (FAR)							
Minimum	0.2						
Maximum	0.6						

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	2						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)	55						
Width (min., in metres)	7.62						
Depth (min., in metres)							
Number of dwellings per building (max.)	1						

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●						
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RB-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family	●	●	●				
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached		●					
Contiguous			●				
Setbacks							
Front (min., in metres)	2.44	2.44	2.44				
Lateral (min. / total, in metres)	1.2 / 4	2 / -	-				
Rear (min., in metres)	6.10	6.10	6.10				
Floor Area Ratio (FAR)							
Minimum	0.2	0.2	0.2				
Maximum	0.6	0.6	0.6				

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1	1				
Storeys (maximum)	2	2	2				
Metres (minimum)	5	5	5				
Metres (maximum)	15.24	15.24	15.24				
Building dimensions							
Built area (min., in square metres)	55	55	55				
Width (min., in metres)	7.62	7.62	7.62				
Depth (min., in metres)							
Number of dwellings per building (max.)	1	2	3				

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	325.00	300.00				
Lot width (min., in metres)	15.25	10.66	9.00				
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●	●	●				
Mixed use							
Multiple use							
Exterior storage							

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RB-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family	●	●					
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached		●					
Contiguous							
Setbacks							
Front (min., in metres)	4.57	4.57					
Lateral (min. / total, in metres)	1.2 / 4	2 / -					
Rear (min., in metres)	6.10	6.10					
Floor Area Ratio (FAR)							
Minimum	0.2	0.2					
Maximum	0.6	0.6					

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	2	2					
Metres (minimum)	5	5					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)	55	55					
Width (min., in metres)	7.62	7.62					
Depth (min., in metres)							
Number of dwellings per building (max.)	1	2					

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	325.00					
Lot width (min., in metres)	15.25	10.66					
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●	●					
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RB-3

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family	●	●					
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached		●					
Contiguous							
Setbacks							
Front (min., in metres)	4.57	4.57					
Lateral (min. / total, in metres)	1.2 / 4	2 / -					
Rear (min., in metres)	6.10	6.10					
Floor Area Ratio (FAR)							
Minimum	0.2	0.2					
Maximum	0.6	0.6					

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	2	2					
Metres (minimum)	5	5					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)	55	55					
Width (min., in metres)	7.62	7.62					
Depth (min., in metres)							
Number of dwellings per building (max.)	1	2					

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	325.00					
Lot width (min., in metres)	15.25	10.66					
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●	●					
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RB-4

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family	●	●	●				
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached		●					
Contiguous			●				
Setbacks							
Front (min., in metres)	4.57	4.57	4.57				
Lateral (min. / total, in metres)	1.2 / 4	2 / -	-				
Rear (min., in metres)	6.10	6.10	6.10				
Floor Area Ratio (FAR)							
Minimum	0.6	0.6	0.6				
Maximum	0.8	0.8	0.8				

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1	1				
Storeys (maximum)	2	2	2				
Metres (minimum)	5	5	5				
Metres (maximum)	15.24	15.24	15.24				
Building dimensions							
Built area (min., in square metres)	55	55	55				
Width (min., in metres)	7.62	7.62	7.62				
Depth (min., in metres)							
Number of dwellings per building (max.)	1	2	3				

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	300.00	230.00				
Lot width (min., in metres)	15.25	8.00	6.00				
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●	●	●				
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RB-5

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family	•	•					
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	•						
Semi-detached		•					
Contiguous							
Setbacks							
Front (min., in metres)	4.57	4.57					
Lateral (min. / total, in metres)	1.2 / 4	2 / -					
Rear (min., in metres)	6.10	6.10					
Floor Area Ratio (FAR)							
Minimum	0.2	0.2					
Maximum	0.6	0.6					

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	2	2					
Metres (minimum)	5	5					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)	55	55					
Width (min., in metres)	7.62	7.62					
Depth (min., in metres)							
Number of dwellings per building (max.)	1	2					

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	325.00					
Lot width (min., in metres)	15.25	10.66					
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	•	•					
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RB-6

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family	●	●					
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached		●					
Contiguous							
Setbacks							
Front (min., in metres)	4.57	4.57					
Lateral (min. / total, in metres)	1.2 / 4	2 / -					
Rear (min., in metres)	6.10	6.10					
Floor Area Ratio (FAR)							
Minimum	0.2	0.2					
Maximum	0.6	0.6					

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	2	2					
Metres (minimum)	5	5					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)	55	55					
Width (min., in metres)	7.62	7.62					
Depth (min., in metres)							
Number of dwellings per building (max.)	1	2					

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	250.00					
Lot width (min., in metres)	15.25	7.62					
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	●	●					
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RB-7

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family	•	•					
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	•						
Semi-detached		•					
Contiguous							
Setbacks							
Front (min., in metres)	4.57	4.57					
Lateral (min. / total, in metres)	1.2 / 4	2 / -					
Rear (min., in metres)	6.10	6.10					
Floor Area Ratio (FAR)							
Minimum	0.2	0.2					
Maximum	0.6	0.6					

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	2	2					
Metres (minimum)	5	5					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)	55	55					
Width (min., in metres)	7.62	7.62					
Depth (min., in metres)							
Number of dwellings per building (max.)	1	2					

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	325.00					
Lot width (min., in metres)	15.25	10.66					
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities	•	•					
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RC-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family	●					
H2 Duplex		●				
H3 Triplex			●			
H4 Apartment building						
H5 Group occupancy						
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public						
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology						
Detached	●	●	●			
Semi-detached	●	●				
Contiguous						
Setbacks						
Front (min., in metres)	4.57	4.57	4.57			
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4			
Rear (min., in metres)	6.10	6.10	6.10			
Floor Area Ratio (FAR)						
Minimum	0.6	0.6	0.6			
Maximum	1	1	1			

CHARACTERISTICS OF THE MAIN BUILDING

Building height						
Storeys (minimum)	1	1	2			
Storeys (maximum)	2	2	2			
Metres (minimum)	5	5	5			
Metres (maximum)	15.24	15.24	15.24			
Building dimensions						
Built area (min., in square metres)	55	55	55			
Width (min., in metres)	7.62	7.62	7.62			
Depth (min., in metres)						
Number of dwellings per building (max.)	1	2	3			

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75			
Lot width (min., in metres)	15.25	15.25	15.25			
lot depth (min., in metres)						

SPECIFIC PROVISIONS

Home-based professional activities	●	●				
Mixed use						
Multiple use						
Exterior storage						

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

--

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RC-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family	•					
H2 Duplex		•				
H3 Triplex			•			
H4 Apartment building						
H5 Group occupancy						
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public						
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology						
Detached	•	•	•			
Semi-detached	•	•				
Contiguous						
Setbacks						
Front (min., in metres)	4.57	4.57	4.57			
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4			
Rear (min., in metres)	6.10	6.10	6.10			
Floor Area Ratio (FAR)						
Minimum	0.6	0.6	0.6			
Maximum	1	1	1			

CHARACTERISTICS OF THE MAIN BUILDING

Building height						
Storeys (minimum)	1	1	2			
Storeys (maximum)	2	2	2			
Metres (minimum)	5	5	5			
Metres (maximum)	15.24	15.24	15.24			
Building dimensions						
Built area (min., in square metres)	55	55	55			
Width (min., in metres)	7.62	7.62	7.62			
Depth (min., in metres)						
Number of dwellings per building (max.)	1	2	3			

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75			
Lot width (min., in metres)	15.25	15.25	15.25			
lot depth (min., in metres)						

SPECIFIC PROVISIONS

Home-based professional activities	•	•				
Mixed use						
Multiple use						
Exterior storage						

Specifically authorized USE(S)

Specifically prohibited USE(S)

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RC-3

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family	•						
H2 Duplex		•					
H3 Triplex			•				
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							
SITING OF THE MAIN BUILDING							
Building typology							
Detached	•	•	•				
Semi-detached	•	•					
Contiguous							
Setbacks							
Front (min., in metres)	4.57	4.57	4.57				
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4				
Rear (min., in metres)	6.10	6.10	6.10				
Floor Area Ratio (FAR)							
Minimum	0.6	0.6	0.6				
Maximum	1	1	1				
CHARACTERISTICS OF THE MAIN BUILDING							
Building height							
Storeys (minimum)	1	1	2				
Storeys (maximum)	2	2	2				
Metres (minimum)	5	5	5				
Metres (maximum)	15.24	15.24	15.24				
Building dimensions							
Built area (min., in square metres)	55	55	55				
Width (min., in metres)	7.62	7.62	7.62				
Depth (min., in metres)							
Number of dwellings per building (max.)	1	2	3				
SUBDIVISION STANDARDS (Subdivision By-Law)							
Lot area (min., in square metres)	371.75	371.75	371.75				
Lot width (min., in metres)	15.25	15.25	15.25				
lot depth (min., in metres)							
SPECIFIC PROVISIONS							
Home-based professional activities	•	•					
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

Specifically prohibited USE(S)

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RC-4

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family	•					
H2 Duplex		•				
H3 Triplex			•			
H4 Apartment building						
H5 Group occupancy						
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public						
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology						
Detached	•	•	•			
Semi-detached	•	•				
Contiguous						
Setbacks						
Front (min., in metres)	2.44	2.44	2.44			
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4			
Rear (min., in metres)	6.10	6.10	6.10			
Floor Area Ratio (FAR)						
Minimum	0.6	0.6	0.6			
Maximum	1	1	1			

CHARACTERISTICS OF THE MAIN BUILDING

Building height						
Storeys (minimum)	1	1	2			
Storeys (maximum)	2	2	2			
Metres (minimum)	5	5	5			
Metres (maximum)	15.24	15.24	15.24			
Building dimensions						
Built area (min., in square metres)	55	55	55			
Width (min., in metres)	7.62	7.62	7.62			
Depth (min., in metres)						
Number of dwellings per building (max.)	1	2	3			

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75			
Lot width (min., in metres)	15.25	15.25	15.25			
lot depth (min., in metres)						

SPECIFIC PROVISIONS

Home-based professional activities	•	•				
Mixed use						
Multiple use						
Exterior storage						

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

--

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RC-5

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family	•					
H2 Duplex		•				
H3 Triplex			•			
H4 Apartment building						
H5 Group occupancy						
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public						
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology						
Detached	•	•	•			
Semi-detached	•	•				
Contiguous						
Setbacks						
Front (min., in metres)	4.57	4.57	4.57			
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4			
Rear (min., in metres)	6.10	6.10	6.10			
Floor Area Ratio (FAR)						
Minimum	0.6	0.6	0.6			
Maximum	1	1	1			

CHARACTERISTICS OF THE MAIN BUILDING

Building height						
Storeys (minimum)	1	1	2			
Storeys (maximum)	2	2	2			
Metres (minimum)	5	5	5			
Metres (maximum)	15.24	15.24	15.24			
Building dimensions						
Built area (min., in square metres)	55	55	55			
Width (min., in metres)	7.62	7.62	7.62			
Depth (min., in metres)						
Number of dwellings per building (max.)	1	2	3			

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75			
Lot width (min., in metres)	15.25	15.25	15.25			
lot depth (min., in metres)						

SPECIFIC PROVISIONS

Home-based professional activities	•	•				
Mixed use						
Multiple use						
Exterior storage						

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

--

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RD-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family	●					
H2 Duplex		●				
H3 Triplex			●			
H4 Apartment building				●		
H5 Group occupancy					●	
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public						
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology					
Detached	●	●	●	●	●
Semi-detached	●	●			
Contiguous	●	●			
Setbacks					
Front (min., in metres)	4.57	4.57	4.57	4.57	4.57
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4
Rear (min., in metres)	6.10	6.10	6.10	6.10	6.10
Floor Area Ratio (FAR)					
Minimum	0.6	0.6	0.6	0.6	0.6
Maximum	1	1	1	1	1

CHARACTERISTICS OF THE MAIN BUILDING

Building height					
Storeys (minimum)	1	1	2	2	2
Storeys (maximum)	2	2	2	3	3
Metres (minimum)	5	5	5	5	5
Metres (maximum)	15.24	15.24	15.24	15.24	15.24
Building dimensions					
Built area (min., in square metres)	55	55	55	55	55
Width (min., in metres)	7.62	7.62	7.62	7.62	7.62
Depth (min., in metres)					
Number of dwellings per building (max.)	1	2	3	24	24

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75	371.75	371.75
Lot width (min., in metres)	15.25	15.25	15.25	15.25	15.25
lot depth (min., in metres)					

SPECIFIC PROVISIONS

Home-based professional activities	●	●			
Mixed use					
Multiple use					
Exterior storage					

Specifically authorized USE(S)

Specifically prohibited USE(S)

NOTES

The subdivision standards for a semi-detached or contiguous building are:

- Area: 200 sq.m.
- width: 6 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RD-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family	●					
H2 Duplex		●				
H3 Triplex			●			
H4 Apartment building						
H5 Group occupancy						
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public						
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology						
Detached	●	●	●			
Semi-detached	●	●				
Contiguous	●	●				
Setbacks						
Front (min., in metres)	4.57	4.57	4.57			
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4			
Rear (min., in metres)	6.10	6.10	6.10			
Floor Area Ratio (FAR)						
Minimum	0.6	0.6	0.6			
Maximum	1	1	1			

CHARACTERISTICS OF THE MAIN BUILDING

Building height						
Storeys (minimum)	1	1	2			
Storeys (maximum)	2	2	2			
Metres (minimum)	5	5	5			
Metres (maximum)	15.24	15.24	15.24			
Building dimensions						
Built area (min., in square metres)	55	55	55			
Width (min., in metres)	7.62	7.62	7.62			
Depth (min., in metres)						
Number of dwellings per building (max.)	1	2	3			

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75			
Lot width (min., in metres)	15.25	15.25	15.25			
lot depth (min., in metres)						

SPECIFIC PROVISIONS

Home-based professional activities	●	●				
Mixed use						
Multiple use						
Exterior storage						

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

--

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

USE GROUPS AND CLASSES						
H - Residential						
H1 Single family	•					
H2 Duplex		•				
H3 Triplex			•			
H4 Apartment building				•		
H5 Group occupancy					•	
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public						• (1)
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						
SITING OF THE MAIN BUILDING						
Building typology						
Detached	•	•	•	•	•	•
Semi-detached	•	•				
Contiguous	•	•				
Setbacks						
Front (min., in metres)	4.57	4.57	4.57	4.57	4.57	4.57
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4
Rear (min., in metres)	6.10	6.10	6.10	6.10	6.10	6.10
Floor Area Ratio (FAR)						
Minimum	0.6	0.6	0.6	0.6	0.6	0.6
Maximum	1	1	1	1	1	1
CHARACTERISTICS OF THE MAIN BUILDING						
Building height						
Storeys (minimum)	1	1	2	2	2	2
Storeys (maximum)	2	2	2	3	3	3
Metres (minimum)	5	5	5	5	5	5
Metres (maximum)	15.24	15.24	15.24	15.24	15.24	15.24
Building dimensions						
Built area (min., in square metres)	55	55	55	55	55	55
Width (min., in metres)	7.62	7.62	7.62	7.62	7.62	7.62
Depth (min., in metres)						
Number of dwellings per building (max.)	1	2	3	24	24	24
SUBDIVISION STANDARDS (Subdivision By-Law)						
Lot area (min., in square metres)	371.75	371.75	371.75	371.75	371.75	371.75
Lot width (min., in metres)	15.25	15.25	15.25	15.25	15.25	15.25
lot depth (min., in metres)						
SPECIFIC PROVISIONS						
Home-based professional activities	•	•				
Mixed use						
Multiple use						
Exterior storage						

Zone RE-1

TOWN OF MONTREAL WEST

Specifically authorized USE(S)

(1) P102

Specifically prohibited USE(S)

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RD-3

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family	•					
H2 Duplex		•				
H3 Triplex			•			
H4 Apartment building				•		
H5 Group occupancy					•	
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public						
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology					
Detached	•	•	•	•	•
Semi-detached	•	•			
Contiguous					
Setbacks					
Front (min., in metres)	1.82	1.82	1.82	1.82	1.82
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4
Rear (min., in metres)	3.04	3.04	3.04	3.04	3.04
Floor Area Ratio (FAR)					
Minimum	0.6	0.6	0.6	0.6	0.6
Maximum	1	1	1	1	1

CHARACTERISTICS OF THE MAIN BUILDING

Building height					
Storeys (minimum)	1	1	2	2	2
Storeys (maximum)	2	2	2	3	3
Metres (minimum)	5	5	5	5	5
Metres (maximum)	15.24	15.24	15.24	15.24	15.24
Building dimensions					
Built area (min., in square metres)	55	55	55	55	55
Width (min., in metres)	7.62	7.62	7.62	7.62	7.62
Depth (min., in metres)					
Number of dwellings per building (max.)	1	2	3	24	24

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75	371.75	371.75
Lot width (min., in metres)	15.25	15.25	15.25	15.25	15.25
lot depth (min., in metres)					

SPECIFIC PROVISIONS

Home-based professional activities	•	•			
Mixed use					
Multiple use					
Exterior storage					

Specifically authorized USE(S)

Specifically prohibited USE(S)

NOTES

The subdivision standards for a semi-detached building are:
 - Area: 325 sq.m.
 - width: 10.66 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

Lateral setbacks (min. / total) are set at 3.04 / 4.2 metres if a retaining wall is present.

In the case of a slope, the rear setback is calculated from the bottom or the top of the slope (the most restrictive applies).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RE-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family	●					
H2 Duplex		●				
H3 Triplex			●			
H4 Apartment building				●		
H5 Group occupancy					●	
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public						● (1)
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology						
Detached	●	●	●	●	●	●
Semi-detached	●	●				
Contiguous	●	●				
Setbacks						
Front (min., in metres)	4.57	4.57	4.57	4.57	4.57	4.57
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4
Rear (min., in metres)	6.10	6.10	6.10	6.10	6.10	6.10
Floor Area Ratio (FAR)						
Minimum	0.6	0.6	0.6	0.6	0.6	0.6
Maximum	1	1	1	1	1	1

CHARACTERISTICS OF THE MAIN BUILDING

Building height						
Storeys (minimum)	1	1	2	2	2	2
Storeys (maximum)	2	2	2	3	3	3
Metres (minimum)	5	5	5	5	5	5
Metres (maximum)	15.24	15.24	15.24	15.24	15.24	15.24
Building dimensions						
Built area (min., in square metres)	55	55	55	55	55	55
Width (min., in metres)	7.62	7.62	7.62	7.62	7.62	7.62
Depth (min., in metres)						
Number of dwellings per building (max.)	1	2	3	24	24	24

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75	371.75	371.75	371.75
Lot width (min., in metres)	15.25	15.25	15.25	15.25	15.25	15.25
lot depth (min., in metres)						

SPECIFIC PROVISIONS

Home-based professional activities	●	●				
Mixed use						
Multiple use						
Exterior storage						

Specifically authorized USE(S)

(1) P102

Specifically prohibited USE(S)

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RF-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family	•					
H2 Duplex						
H3 Triplex		•				
H4 Apartment building			•			
H5 Group occupancy				•		
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public					• (1)	
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology					
Detached		•	•	•	•
Semi-detached	•				
Contiguous	•				
Setbacks					
Front (min., in metres)	4.57	4.57	4.57	4.57	4.57
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4
Rear (min., in metres)	6.10	6.10	6.10	6.10	6.10
Floor Area Ratio (FAR)					
Minimum	0.6	0.6	0.6	0.6	0.6
Maximum	1	1	1	1	1

CHARACTERISTICS OF THE MAIN BUILDING

Building height					
Storeys (minimum)	1	2	2	2	2
Storeys (maximum)	2	2	4	4	4
Metres (minimum)	5	5	5	5	5
Metres (maximum)	15.24	15.24	15.24	15.24	15.24
Building dimensions					
Built area (min., in square metres)	55	55	55	55	55
Width (min., in metres)	7.62	7.62	7.62	7.62	7.62
Depth (min., in metres)					
Number of dwellings per building (max.)	1	3	24	24	24

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75	371.75	371.75
Lot width (min., in metres)	15.25	15.25	15.25	15.25	15.25
lot depth (min., in metres)					

SPECIFIC PROVISIONS

Home-based professional activities	•				
Mixed use					
Multiple use					
Exterior storage					

Specifically authorized USE(S)

(1) P102

Specifically prohibited USE(S)

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone RG-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family	●					
H2 Duplex		●				
H3 Triplex			●			
H4 Apartment building				●		
H5 Group occupancy					●	
C - Commercial						
C1 Local						
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public						● (1)
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology						
Detached	●	●	●	●	●	●
Semi-detached	●					
Contiguous	●					
Setbacks						
Front (min., in metres)	2.44	2.44	2.44	2.44	2.44	2.44
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4
Rear (min., in metres)	3.05	3.05	3.05	3.05	3.05	3.05
Floor Area Ratio (FAR)						
Minimum	0.6	0.6	0.6	0.6	0.6	0.6
Maximum	1	1	1	1	1	1

CHARACTERISTICS OF THE MAIN BUILDING

Building height						
Storeys (minimum)	1	1	2	2	2	2
Storeys (maximum)	2	2	2	3	3	3
Metres (minimum)	5	5	5	5	5	5
Metres (maximum)	15.24	15.24	15.24	15.24	15.24	15.24
Building dimensions						
Built area (min., in square metres)	55	55	55	55	55	55
Width (min., in metres)	7.62	7.62	7.62	7.62	7.62	7.62
Depth (min., in metres)						
Number of dwellings per building (max.)	1	2	3	24	24	24

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75	371.75	371.75	371.75
Lot width (min., in metres)	15.25	15.25	15.25	15.25	15.25	15.25
lot depth (min., in metres)						

SPECIFIC PROVISIONS

Home-based professional activities	●	●				
Mixed use						
Multiple use						
Exterior storage						

Specifically authorized USE(S)

(1) P102

Specifically prohibited USE(S)

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone MA-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local	●						
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public		● (1)					
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

(1) P106

SITING OF THE MAIN BUILDING

Building typology							
Detached	●	●					
Semi-detached	●	●					
Contiguous	●	●					
Setbacks							
Front (min., in metres)	0	0					
Lateral (min. / total, in metres)	0 / 0	0 / 0					
Rear (min., in metres)	3.05	3.05					
Floor Area Ratio (FAR)							
Minimum	1.5	1.5					
Maximum	3	3					

NOTES

The subdivision standards for a semi-detached building are:
 - Area: 325 sq.m.
 - width: 10.66 m.

The subdivision standards for a contiguous building are:
 - Area: 300 sq.m.
 - width: 9 m.

The maximum lateral setback is set at 3.04 metres and the maximum front setback is set at 2.43 metres.

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	2	2					
Storeys (maximum)	3	3					
Metres (minimum)	5	5					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)	55	55					
Width (min., in metres)	7.62	7.62					
Depth (min., in metres)							
Number of dwellings per building (max.)	24	24					

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75					
Lot width (min., in metres)	15.25	15.25					
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use	●	●					
Multiple use	●	●					
Exterior storage							

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone MA-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential					
H1 Single family					
H2 Duplex					
H3 Triplex	•				
H4 Apartment building		•			
H5 Group occupancy			•		
C - Commercial					
C1 Local				•	
C2 Arterial and heavy					
C3 Fuel service					
I - Industrial					
I1 Light and trade work					
P - Public and institutional					
P1 Institutional, governmental and public				• (1)	
P2 Municipal					
P3 Public utility service					
P4 Park, green space and recreational					

SITING OF THE MAIN BUILDING

Building typology					
Detached	•	•	•	•	•
Semi-detached	•	•	•	•	•
Contiguous	•	•	•	•	•
Setbacks					
Front (min., in metres)	4.57	4.57	4.57	4.57	4.57
Lateral (min. / total, in metres)	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
Rear (min., in metres)	3.05	3.05	3.05	3.05	3.05
Floor Area Ratio (FAR)					
Minimum	1.5	1.5	1.5	1.5	1.5
Maximum	3	3	3	3	3

CHARACTERISTICS OF THE MAIN BUILDING

Building height					
Storeys (minimum)	2	2	2	2	2
Storeys (maximum)	3	3	3	3	3
Metres (minimum)	5	5	5	5	5
Metres (maximum)	15.24	15.24	15.24	15.24	15.24
Building dimensions					
Built area (min., in square metres)	55	55	55	55	55
Width (min., in metres)	7.62	7.62	7.62	7.62	7.62
Depth (min., in metres)					
Number of dwellings per building (max.)	3	24	24	24	24

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75	371.75	371.75
Lot width (min., in metres)	15.25	15.25	15.25	15.25	15.25
lot depth (min., in metres)					

SPECIFIC PROVISIONS

Home-based professional activities					
Mixed use				•	•
Multiple use				•	•
Exterior storage					

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

(1) P106

NOTES

The subdivision standards for a semi-detached building are:
 - Area: 325 sq.m.
 - width: 10.66 m.

The subdivision standards for a contiguous building are:
 - Area: 300 sq.m.
 - width: 9 m.

The maximum lateral setback is set at 3.04 metres and the maximum front setback is set at 2.43 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone MB-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family						
H2 Duplex						
H3 Triplex						
H4 Apartment building						
H5 Group occupancy						
C - Commercial						
C1 Local	●					
C2 Arterial and heavy						
C3 Fuel service						
I - Industrial						
I1 Light and trade work						
P - Public and institutional						
P1 Institutional, governmental and public		● (1)				
P2 Municipal						
P3 Public utility service						
P4 Park, green space and recreational						

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

(1) P106

SITING OF THE MAIN BUILDING

Building typology						
Detached	●	●				
Semi-detached	●	●				
Contiguous	●	●				
Setbacks						
Front (min., in metres)	1.5	1.5				
Lateral (min. / total, in metres)	0 / 0	0 / 0				
Rear (min., in metres)	3.05	3.05				
Floor Area Ratio (FAR)						
Minimum	1.5	1.5				
Maximum	3	3				

NOTES

The subdivision standards for a semi-detached building are:
 - Area: 325 sq.m.
 - width: 10.66 m.

The subdivision standards for a contiguous building are:
 - Area: 300 sq.m.
 - width: 9 m.

The maximum lateral setback is set at 3.04 metres and the maximum front setback is set at 2.43 metres.

CHARACTERISTICS OF THE MAIN BUILDING

Building height						
Storeys (minimum)	2	2				
Storeys (maximum)	3	3				
Metres (minimum)	5	5				
Metres (maximum)	15.24	15.24				
Building dimensions						
Built area (min., in square metres)	55	55				
Width (min., in metres)	7.62	7.62				
Depth (min., in metres)						
Number of dwellings per building (max.)	24	24				

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75				
Lot width (min., in metres)	15.25	15.25				
lot depth (min., in metres)						

SPECIFIC PROVISIONS

Home-based professional activities						
Mixed use	●	●				
Multiple use	●	●				
Exterior storage						

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone MB-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local	●						
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public		● (1)					
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

(1) P106

SITING OF THE MAIN BUILDING

Building typology							
Detached	●	●					
Semi-detached	●	●					
Contiguous	●	●					
Setbacks							
Front (min., in metres)	1.5	1.5					
Lateral (min. / total, in metres)	0 / 0	0 / 0					
Rear (min., in metres)	3.05	3.05					
Floor Area Ratio (FAR)							
Minimum	1.5	1.5					
Maximum	3	3					

NOTES

The subdivision standards for a semi-detached building are:
 - Area: 325 sq.m.
 - width: 10.66 m.

The subdivision standards for a contiguous building are:
 - Area: 300 sq.m.
 - width: 9 m.

The maximum lateral setback is set at 3.04 metres and the maximum front setback is set at 2.43 metres.

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	2	2					
Storeys (maximum)	3	3					
Metres (minimum)	5	5					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)	55	55					
Width (min., in metres)	7.62	7.62					
Depth (min., in metres)							
Number of dwellings per building (max.)	24	24					

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75					
Lot width (min., in metres)	15.25	15.25					
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use	●	●					
Multiple use	●	●					
Exterior storage							

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone IA-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local	●						
C2 Arterial and heavy		●					
C3 Fuel service							
I - Industrial							
I1 Light and trade work			●				
P - Public and institutional							
P1 Institutional, governmental and public				● (1)			
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational							

Specifically authorized USE(S)

(1) P106

Specifically prohibited USE(S)

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SITING OF THE MAIN BUILDING

Building typology							
Detached	●	●	●	●			
Semi-detached	●	●	●	●			
Contiguous	●	●	●	●			
Setbacks							
Front (min., in metres)	2.44	2.44	2.44	2.44			
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4			
Rear (min., in metres)	3.05	3.05	3.05	3.05			
Floor Area Ratio (FAR)							
Minimum	0.75	0.75	0.75	0.75			
Maximum	2	2	2	2			

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1	1	1			
Storeys (maximum)	3	3	3	3			
Metres (minimum)	5	5	5	5			
Metres (maximum)	15.24	15.24	15.24	15.24			
Building dimensions							
Built area (min., in square metres)	55	55	55	55			
Width (min., in metres)	7.62	7.62	7.62	7.62			
Depth (min., in metres)							
Number of dwellings per building (max.)							

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75	371.75			
Lot width (min., in metres)	15.25	15.25	15.25	15.25			
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use							
Multiple use	●	●	●				
Exterior storage							

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone IA-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family						
H2 Duplex						
H3 Triplex						
H4 Apartment building						
H5 Group occupancy						
C - Commercial						
C1 Local	•					
C2 Arterial and heavy		•				
C3 Fuel service						
I - Industrial						
I1 Light and trade work			•			
P - Public and institutional						
P1 Institutional, governmental and public						
P2 Municipal				•		
P3 Public utility service					• (1)	
P4 Park, green space and recreational						

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

(1) P302

SITING OF THE MAIN BUILDING

Building typology					
Detached	•	•	•	•	•
Semi-detached	•	•	•	•	•
Contiguous	•	•	•	•	•
Setbacks					
Front (min., in metres)	2.44	2.44	2.44	2.44	2.44
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4
Rear (min., in metres)	3.05	3.05	3.05	3.05	3.05
Floor Area Ratio (FAR)					
Minimum	0.75	0.75	0.75	0.75	0.75
Maximum	2	2	2	2	2

NOTES

The subdivision standards for a semi-detached building are:
 - Area: 325 sq.m.
 - width: 10.66 m.

The subdivision standards for a contiguous building are:
 - Area: 300 sq.m.
 - width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

CHARACTERISTICS OF THE MAIN BUILDING

Building height					
Storeys (minimum)	1	1	1	1	1
Storeys (maximum)	4	4	4	4	4
Metres (minimum)	5	5	5	5	5
Metres (maximum)	15.24	15.24	15.24	15.24	15.24
Building dimensions					
Built area (min., in square metres)	55	55	55	55	55
Width (min., in metres)	7.62	7.62	7.62	7.62	7.62
Depth (min., in metres)					
Number of dwellings per building (max.)					

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75	371.75	371.75
Lot width (min., in metres)	15.25	15.25	15.25	15.25	15.25
lot depth (min., in metres)					

SPECIFIC PROVISIONS

Home-based professional activities					
Mixed use					
Multiple use	•	•	•	•	•
Exterior storage	•	•	•	•	•

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

USE GROUPS AND CLASSES					
H - Residential					
H1 Single family					
H2 Duplex					
H3 Triplex					
H4 Apartment building					
H5 Group occupancy					
C - Commercial					
C1 Local	●				
C2 Arterial and heavy		●			
C3 Fuel service					
I - Industrial					
I1 Light and trade work			●		
P - Public and institutional					
P1 Institutional, governmental and public					
P2 Municipal					
P3 Public utility service				● (1)	
P4 Park, green space and recreational					
SITING OF THE MAIN BUILDING					
Building typology					
Detached	●	●	●	●	
Semi-detached	●	●	●	●	
Contiguous	●	●	●	●	
Setbacks					
Front (min., in metres)	2.44	2.44	2.44	2.44	
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	
Rear (min., in metres)	3.05	3.05	3.05	3.05	
Floor Area Ratio (FAR)					
Minimum	0.75	0.75	0.75	0.75	
Maximum	2	2	2	2	
CHARACTERISTICS OF THE MAIN BUILDING					
Building height					
Storeys (minimum)	1	1	1	1	
Storeys (maximum)	4	4	4	4	
Metres (minimum)	5	5	5	5	
Metres (maximum)	15.24	15.24	15.24	15.24	
Building dimensions					
Built area (min., in square metres)	55	55	55	55	
Width (min., in metres)	7.62	7.62	7.62	7.62	
Depth (min., in metres)					
Number of dwellings per building (max.)					
SUBDIVISION STANDARDS (Subdivision By-Law)					
Lot area (min., in square metres)	371.75	371.75	371.75	371.75	
Lot width (min., in metres)	15.25	15.25	15.25	15.25	
lot depth (min., in metres)					
SPECIFIC PROVISIONS					
Home-based professional activities					
Mixed use					
Multiple use	●	●	●	●	
Exterior storage					

Zone IA-3

TOWN OF MONTREAL WEST

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

(1) P302

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone IB-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential						
H1 Single family						
H2 Duplex						
H3 Triplex						
H4 Apartment building						
H5 Group occupancy						
C - Commercial						
C1 Local						
C2 Arterial and heavy	•					
C3 Fuel service		•				
I - Industrial						
I1 Light and trade work			•			
P - Public and institutional						
P1 Institutional, governmental and public						
P2 Municipal				•		
P3 Public utility service					•	
P4 Park, green space and recreational						

SITING OF THE MAIN BUILDING

Building typology					
Detached	•	•	•	•	•
Semi-detached	•	•	•	•	•
Contiguous	•	•	•	•	•
Setbacks					
Front (min., in metres)	2.44	2.44	2.44	2.44	2.44
Lateral (min. / total, in metres)	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4	1.2 / 4
Rear (min., in metres)	3.05	3.05	3.05	3.05	3.05
Floor Area Ratio (FAR)					
Minimum	0.75	0.75	0.75	0.75	0.75
Maximum	2	2	2	2	2

CHARACTERISTICS OF THE MAIN BUILDING

Building height					
Storeys (minimum)	1	1	1	1	1
Storeys (maximum)	6	6	6	6	6
Metres (minimum)	5	5	5	5	5
Metres (maximum)	15.24	15.24	15.24	15.24	15.24
Building dimensions					
Built area (min., in square metres)	55	55	55	55	55
Width (min., in metres)	7.62	7.62	7.62	7.62	7.62
Depth (min., in metres)					
Number of dwellings per building (max.)					

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75	371.75	371.75	371.75	371.75
Lot width (min., in metres)	15.25	15.25	15.25	15.25	15.25
lot depth (min., in metres)					

SPECIFIC PROVISIONS

Home-based professional activities					
Mixed use					
Multiple use	•	•	•	•	•
Exterior storage	•	•	•	•	•

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

--

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

The minimum lateral setback for a semi-detached building is set at 2 metres.

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zones PA-1 to PA-17

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational	●						

SITING OF THE MAIN BUILDING

Building typology							
Detached							
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)							
Lateral (min. / total, in metres)							
Rear (min., in metres)							
Floor Area Ratio (FAR)							
Minimum							
Maximum							

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	3						
Metres (minimum)	2						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)							
Lot width (min., in metres)							
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage	●						

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

--	--

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone PB-1

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal	●						
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached	●						
Contiguous	●						
Setbacks							
Front (min., in metres)	2.44						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	3.05						
Floor Area Ratio (FAR)							
Minimum							
Maximum							

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	3						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)							
Lot width (min., in metres)							
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage	●						

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

--	--

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone PB-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal	●						
P3 Public utility service							
P4 Park, green space and recreational							
SITING OF THE MAIN BUILDING							
Building typology							
Detached	●						
Semi-detached	●						
Contiguous	●						
Setbacks							
Front (min., in metres)	2.44						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	3.05						
Floor Area Ratio (FAR)							
Minimum							
Maximum							
CHARACTERISTICS OF THE MAIN BUILDING							
Building height							
Storeys (minimum)	1						
Storeys (maximum)	3						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							
SUBDIVISION STANDARDS (Subdivision By-Law)							
Lot area (min., in square metres)							
Lot width (min., in metres)							
Lot depth (min., in metres)							
SPECIFIC PROVISIONS							
Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage	●						

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

--	--

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone PB-3

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal	●						
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached	●						
Contiguous	●						
Setbacks							
Front (min., in metres)	2.44						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	3.05						
Floor Area Ratio (FAR)							
Minimum							
Maximum							

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1						
Storeys (maximum)	3						
Metres (minimum)	5						
Metres (maximum)	15.24						
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)							
Lot width (min., in metres)							
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage	●						

Specifically authorized USE(S)

--	--

Specifically prohibited USE(S)

--	--

NOTES

--	--

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public	● (1)						
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational		●					
SITING OF THE MAIN BUILDING							
Building typology							
Detached	●						
Semi-detached	●						
Contiguous	●						
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	3.05						
Floor Area Ratio (FAR)							
Minimum							
Maximum							
CHARACTERISTICS OF THE MAIN BUILDING							
Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	3	3					
Metres (minimum)	5	2					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							
SUBDIVISION STANDARDS (Subdivision By-Law)							
Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							
SPECIFIC PROVISIONS							
Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage	●	●					

Zone PC-1

TOWN OF MONTREAL WEST

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

(1) P106

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone PC-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public	● (1)						
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational		●					

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached	●						
Contiguous	●						
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	3.05						
Floor Area Ratio (FAR)							
Minimum							
Maximum							

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	3	3					
Metres (minimum)	5	2					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							

SUBDIVISION STANDARDS (Subdivision By-Law)

Lot area (min., in square metres)	371.75						
Lot width (min., in metres)	15.25						
lot depth (min., in metres)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage	●	●					

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

(1) P106

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone PC-3

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public	● (1)						
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational		●					

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached	●						
Contiguous	●						
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	3.05						
Floor Area Ratio (FAR)							
Minimum							
Maximum							

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	3	3					
Metres (minimum)	5	2					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							

SUBDIVISION STANDARDS (Subdivision By-Law)

Superficie du terrain (min., en mètre carré)	371.75						
Longueur de façade du terrain (min., mètre)	15.25						
Profondeur du terrain (min., en mètre)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage	●	●					

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

(1) P106

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public	●						
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational		●					
SITING OF THE MAIN BUILDING							
Building typology							
Detached	●						
Semi-detached	●						
Contiguous	●						
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	3.05						
Floor Area Ratio (FAR)							
Minimum							
Maximum							
CHARACTERISTICS OF THE MAIN BUILDING							
Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	3	3					
Metres (minimum)	5	2					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							
SUBDIVISION STANDARDS (Subdivision By-Law)							
Superficie du terrain (min., en mètre carré)	371.75						
Longueur de façade du terrain (min., mètre)	15.25						
Profondeur du terrain (min., en mètre)							
SPECIFIC PROVISIONS							
Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage	●						

Zone PD-1

TOWN OF MONTREAL WEST

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

--

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone PD-2

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public	●						
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational		●					

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached	●						
Contiguous	●						
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	3.05						
Floor Area Ratio (FAR)							
Minimum							
Maximum							

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	3	3					
Metres (minimum)	5	2					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							

SUBDIVISION STANDARDS (Subdivision By-Law)

Superficie du terrain (min., en mètre carré)	371.75						
Longueur de façade du terrain (min., mètre)	15.25						
Profondeur du terrain (min., en mètre)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage	●						

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

--

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zone PD-3

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

USE GROUPS AND CLASSES							
H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public	●						
P2 Municipal							
P3 Public utility service							
P4 Park, green space and recreational		●					

SITING OF THE MAIN BUILDING

Building typology							
Detached	●						
Semi-detached	●						
Contiguous	●						
Setbacks							
Front (min., in metres)	4.57						
Lateral (min. / total, in metres)	1.2 / 4						
Rear (min., in metres)	3.05						
Floor Area Ratio (FAR)							
Minimum							
Maximum							

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)	1	1					
Storeys (maximum)	3	3					
Metres (minimum)	5	2					
Metres (maximum)	15.24	15.24					
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							

SUBDIVISION STANDARDS (Subdivision By-Law)

Superficie du terrain (min., en mètre carré)	371.75						
Longueur de façade du terrain (min., mètre)	15.25						
Profondeur du terrain (min., en mètre)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage	●						

Specifically authorized USE(S)

--

Specifically prohibited USE(S)

--

NOTES

The subdivision standards for a semi-detached building are:

- Area: 325 sq.m.
- width: 10.66 m.

The subdivision standards for a contiguous building are:

- Area: 300 sq.m.
- width: 9 m.

The minimum lateral setback for a building on a corner lot is set at 3.5 metres (on the street side).

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils

SCHEDULE OF USES AND STANDARDS

Annex 2 of Zoning By-Law

Zones PE-1 to PE-4

TOWN OF MONTREAL WEST

USE GROUPS AND CLASSES

H - Residential							
H1 Single family							
H2 Duplex							
H3 Triplex							
H4 Apartment building							
H5 Group occupancy							
C - Commercial							
C1 Local							
C2 Arterial and heavy							
C3 Fuel service							
I - Industrial							
I1 Light and trade work							
P - Public and institutional							
P1 Institutional, governmental and public							
P2 Municipal			● (1)				
P3 Public utility service							
P4 Park, green space and recreational							

SITING OF THE MAIN BUILDING

Building typology							
Detached							
Semi-detached							
Contiguous							
Setbacks							
Front (min., in metres)							
Lateral (min. / total, in metres)							
Rear (min., in metres)							
Floor Area Ratio (FAR)							
Minimum							
Maximum							

CHARACTERISTICS OF THE MAIN BUILDING

Building height							
Storeys (minimum)							
Storeys (maximum)							
Metres (minimum)							
Metres (maximum)							
Building dimensions							
Built area (min., in square metres)							
Width (min., in metres)							
Depth (min., in metres)							
Number of dwellings per building (max.)							

SUBDIVISION STANDARDS (Subdivision By-Law)

Superficie du terrain (min., en mètre carré)							
Longueur de façade du terrain (min., mètre)							
Profondeur du terrain (min., en mètre)							

SPECIFIC PROVISIONS

Home-based professional activities							
Mixed use							
Multiple use							
Exterior storage							

Specifically authorized USE(S)

(1) P205

Specifically prohibited USE(S)

NOTES

MODIFICATIONS

By-law no.	Coming into force

Date: August 26th, 2009

Apur urbanistes-conseils